

Anaphylaxis Emergency Action Plan

Patient Name:			Age:	
Allergies:				
Asthma Yes (high risk for sev	ere reaction)	☐ No		
Additional health problems beside	es anaphylaxi	s:		
Concurrent medications:				
Concurrent medications.				
	Sympt	toms of Anaphylaxis		
MOUTH	MOUTH itching, swelling of lips and/or tongue			
THROAT* SKIN		ightness/closure, hoarsenes	S	
GUT		nives, redness, swelling , diarrhea, cramps		
LUNG*		shortness of breath, cough, wheeze		
HEART*	weak pul	se, dizziness, passing out		
		sent. Severity of symptoms of an be life-threatening. ACT F		
Emergency Action Steps -	DO NOT HES	ITATE TO GIVE EPINEPHRIN	E!	
. Inject epinephrine in thigh using			Adrenaclick (0.3 mg)	
		☐ Auvi-Q (0.15 mg)	☐ Auvi-Q (0.3 mg)	
		☐ EpiPen Jr (0.15 mg)	☐ EpiPen (0.3 mg)	
		Epinephrine Injection, USF ☐ (0.15 mg)	Auto-injector- authorized generi	
		Other (0.15 mg)	Other (0.3 mg)	
Specify others (including nasal e	pinephrine):			
IMPORTANT: ASTHMA INHALERS	S AND/OR AN	TIHISTAMINES CAN'T BE DE	PENDED ON IN ANAPHYLAXIS.	
2. Call 911 or rescue squad (before	re calling conf	tact)		
3. Emergency contact #1: home_		work	cell	
Emergency contact #2: home_		work	cell	
Emergency contact #3: home_		work	cell	
Comments:				
Doctor's Signature/Date/Phone Nun	nber			
Parent's Signature (for individuals u	under age 18 v	/rs)/Date		

This information is for general purposes and is not intended to replace the advice of a qualified health professional. For more information, visit www.aaaai.org. © 2025 American Academy of Allergy, Asthma & Immunology 6/2025