## 2017 MIPS Allergy Immunology Measures Set

MIPS ID Number	NQF/ PQRS	CMS E-Measure ID	Data Submission Method	Measure Type	National Quality Strategy Domain	Measure Title and Description <sup>¥</sup>	Measure Steward		
	1. Allergy/Immunology								
	0041/	147v6	Claims, Web Interface, Registry, EHR	Process	Community / Population Health	Preventive Care and Screening: Influenza Immunization  Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	Physician Consortium for Performanc e Improveme nt Foundation (PCPI®)		
	0043/	127v5	Claims, Web Interface, Registry, EHR	Process	Community / Population Health	Pneumonia Vaccination Status for Older Adults  Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine	National Committee for Quality Assurance		
	0419/	68v6	Claims, Registry, EHR,	Process	Patient Safety	Documentation of Current Medications in the Medical Record  Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.	Centers for Medicare & Medicaid Services		
* §	0405/ 160	52v5	EHR	Process	Effective Clinical Care	HIV/AIDS: Pneumocystis Jiroveci Pneumonia (PCP) Prophylaxis  Percentage of patients aged 6 weeks and older with a diagnosis of HIV/AIDS who were prescribed Pneumocystis Jiroveci Pneumonia (PCP) prophylaxis	National Committee for Quality Assurance		
	0028/ 226	138v5	Claims, Registry, EHR, ,Web Interface	Process	Community /Population Health	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention  Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user.	Physician Consortium for Performanc e Improveme nt Foundation (PCPI®)		
*	N/A/3 17	22v5	Claims, Registry, EHR	Process	Community /Population Health	Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented:  Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated.	Centers for Medicare & Medicaid Services		

MIPS ID Number	NQF/ PQRS	CMS E-Measure ID	Data Submission Method	Measure Type	National Quality Strategy Domain	Measure Title and Description <sup>¥</sup>	Measure Steward
	T		<b>T</b>	T	1. Allerg	yy/Immunology T	
!!	N/A/3	N/A	Registry	Process	Efficiency	Adult Sinusitis: Antibiotic Prescribed for Acute Sinusitis	American
	31				and Cost Reduction	(Overuse)  Percentage of patients, aged 18 years and older, with a diagnosis of acute sinusitis who were prescribed an antibiotic within 10 days after onset of symptoms	Academy of Otolaryngol ogy-Head and Neck Surgery
!!	N/A/ 332	N/A	Registry	Process	Efficiency and Cost Reduction	Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use)  Percentage of patients aged 18 years and older with a diagnosis of acute bacterial sinusitis that were prescribed amoxicillin, with or without clavulante, as a first line antibiotic at the time of diagnosis	American Academy of Otolaryngol ogy-Head and Neck Surgery
!!	N/A/ 333	N/A	Registry	Efficiency	Efficiency and Cost Reduction	Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse)  Percentage of patients aged 18 years and older with a diagnosis of acute sinusitis who had a computerized tomography (CT) scan of the paranasal sinuses ordered at the time of diagnosis or received within 28 days after date of diagnosis	American Academy of Otolaryngol ogy-Head and Neck Surgery
!!	N/A/ 334	N/A	Registry	Efficiency	Efficiency and Cost Reduction	Adult Sinusitis: More than One Computerized Tomography (CT) Scan Within 90 Days for Chronic Sinusitis (Overuse)  Percentage of patients aged 18 years and older with a diagnosis of chronic sinusitis who had more than one CT scan of the paranasal sinuses ordered or received within 90 days after the date of diagnosis	American Academy of Otolaryngol ogy-Head and Neck Surgery
	NA/ 374	50v5	EHR	Process	Communica tion and Care Coordinatio n	Closing the Referral Loop: Receipt of Specialist Report  Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred.	Centers for Medicare & Medicaid Services
!	N/A/ 398	N/A	Registry	Outcome	Effective Clinical Care	Optimal Asthma Control  Composite measure of the percentage of pediatric and adult patients whose asthma is well-controlled as demonstrated by one of three age appropriate patient reported outcome tools	Minnesota Community Measurem ent
	NA/ 402	NA	Registry	Process	Community / Population Health	Tobacco Use and Help with Quitting Among Adolescents  The percentage of adolescents 12 to 20 years of age with a primary care visit during the measurement year for whom tobacco use status was documented and received help with quitting if identified as a tobacco user	National Committee for Quality Assurance

MIPS ID Number	NQF/ PQRS	CMS E-Measure ID	Data Submission Method	Measure Type	National Quality Strategy Domain	Measure Title and Description <sup>¥</sup>	Measure Steward	
	1. Allergy/Immunology							
+ § !	1799/ 444	NA	Registry	Process	Efficiency and Cost Reduction	Medication Management for People with Asthma (MMA):  The percentage of patients 5-64 years of age during the measurement year who were identified as having persistent asthma and were dispensed appropriate medications that they remained on for at least 75% of their treatment period.	National Committee for Quality Assurance	

Note: With the exception of measures #160 and #444, the AAAAI Qualified Clinical Data Registry (QCDR) offers all the measures including in the MIPS Allergy/Immunology Specialty Measure Set above. Also, the AAAAI QCDR offers asthma and allergy immunotherapy measures ONLY available for reporting in the registry.

The benefit of reporting via QCDR, in addition to meeting the Quality category criteria, is that you can also attest to both the 2017 Improvement Activities and Advancing Care Information performance categories. Learn more about the AAAAI QCDR reporting options, registration fees, and measures specification at <a href="www.aaaai.org/qcdr">www.aaaai.org/qcdr</a>